

# HECO

German HiFi since 1949

## Aleva



# HECO

German HiFi since 1949

## Aleva



# HECO

German HiFi since 1949

## Aleva Piano Black



Aleva 500



Aleva 400



Aleva 200



Aleva Sub



Aleva Center

# HECO

German HiFi since 1949

## Aleva Arctic White



Aleva 500



Aleva 400



Aleva 200



Aleva Sub



Aleva Center

# HECO

German HiFi since 1949

## Aleva Espresso Furnier



Aleva 500



Aleva 400



Aleva 200



Aleva Sub



Aleva Center

# HECO

German HiFi since 1949

## BESONDERHEITEN LAUTSPRECHER

- Stabiles, verstrebtes MDF Gehäuse
- Hochwertige Lackoberflächen im Hochglanz
- Hochtöner mit 25 mm Gewebe-Kalotte, Aluminium-Frontplatte mit kurzem Hornansatz und Doppelmagnetsystem
- Speziell auf breitbandige Wiedergabe optimierter Tief-Mitteltöner mit leichter Papier/Woll-Membran, leichter Gewebe-Staubschutzkalotte, Langhubsicke und hochbelastbarer 25 mm Schwingspule
- Tief- und Tief-Mitteltöner mit stabilem Aludruckguss-Korb und linearisiertem Magnetsystem
- Bassreflexkonstruktion mit zwei verschraubten Reflexrohren
- Aufwändige Frequenzweiche mit hochwertigen Bauteilen
- Hochtonepegelanpassung ‚linear‘ / ‚+2dB‘
- Hochwertiges Anschlussterminal mit stabilen, vergoldeten Schraubklemmen, Bi-wiring / Bi-amping Option
- Massive Metallfüße, wahlweise mit Gummi- oder Metallspikes (Aleva 500 & 400)

## FEATURES SPEAKERS

- Solid and strutted MDF-cabinet
- High-quality cabinet finish in high-glossy painting
- Tweeter with 1" soft-dome, double-magnet system, aluminium frontplate with short horn attempt
- Specially for broadband reproduction optimized woofer/midrange speaker with light cellulose/wool cone, lightweight cloth-dustcap, longthrow surround and high performance 25 mm voice coil
- Woofer/midrange speaker with stable aluminium die cast basket and linearized magnet system
- Bass reflex construction with screwed flange bass reflex ports
- Complex XO with high quality components
- Tweeter level adjustment ‚linear‘ / + 2 dB
- High quality loudspeaker terminal with stable, gold plated screwterminals, Bi-wiring / Bi-amping option
- Optionally metal spikes & rubber pucks (Aleva 500 & 400)

## Aleva



# HECO

German HiFi since 1949

## BESONDERHEITEN

- Lautstärke und Übergangsfrequenz regelbar
- High Level Eingang
- 2 Low Level Eingänge
- Standby Schaltung
- Netzspannung wählbar 115/230V
- Front-fire' Prinzip
- Strömungsoptimierte Reflexrohre
- High-Power Langhubwoofer mit gehärteter Papiermembran
- Real-time Limiter
- Aktive Frequenzgangentzerrung
- Stabiles, mehrfach verstrebttes MDF-Gehäuse
- Gummi Spikes zur Boden Entkopplung
- Hochwertige Lackoberflächen

## FEATURES

- Level and crossover-frequency adjustable
- High-level input
- 2 low-level inputs
- Standby circuit
- Switchable mains voltage 115/230 V Highlights
- Front-fire construction
- Aerodynamically optimized bass reflex ports
- High-power long-throw woofer with hardened cellulose cone
- Real-time limiter
- Active SPL equalization
- Solid and strutted MDF-cabinet
- Rubber spikes
- High-quality cabinet-finish high-gloss painting


# Aleva Sub 25 A



# HECO

German HiFi since 1949

## Aleva





# HECO

German HiFi since 1949

## Aleva 500

<b>Prinzip</b>	2 ½ Wege Standlautsprecher, Bassreflex
<b>Bestückung</b>	1 x 170 mm Tieftöner 1 x 170 mm Mitteltöner 1 x 25 mm Hochtöner
<b>Belastbarkeit (RMS/max.)</b>	170 / 280 Watt
<b>Impedanz</b>	4 - 8 Ohm
<b>Frequenzbereich</b>	28 - 42.000 Hz
<b>Übergangsfrequenz</b>	350 / 3.500 Hz
<b>Empfohlene Verstärkerleistung</b>	30 - 280 Watt
<b>Wirkungsgrad</b>	91 dB
<b>Gehäuseausführung</b>	Arctic White, Schwarz Glanzlack, Espresso Furnier
<b>Maße (BxHxT)</b>	195 x 1020 x 328 mm
<b>Principle</b>	2 ½ way floorstanding speaker, bass reflex
<b>Equipment</b>	1 x 6,5" woofer 1 x 6,5" midrange 1" dome-tweeter
<b>Power handling (RMS/max.)</b>	170 / 280 watts
<b>Impedance</b>	4 - 8 ohms
<b>Frequency response</b>	28 - 42,000 Hz
<b>Crossover frequencies</b>	350 / 3,500 Hz
<b>Recommended Amplifier Output</b>	30 - 280 watts
<b>Sensitivity</b>	91 dB
<b>Cabinet surface</b>	Arctic White, High-gloss painting black, Espresso Veneer
<b>Dimensions (WxHxD)</b>	195 x 1020 x 328 mm

Schwarz: Art. Nr.: 134 7455 • EAN: 40 29678 47455 1  
Arctic White: Art. Nr.: 134 7452 • EAN: 40 29678 47452 0  
Espresso: Art. Nr.: 134 7451 • EAN: 40 29678 47451 3

# HECO

German HiFi since 1949

## Aleva 400

<b>Prinzip</b>	2 ½ Wege Standlautsprecher, Bassreflex
<b>Bestückung</b>	1 x 130 mm Tieftöner 1 x 130 mm Mitteltöner 1 x 25 mm Hochtöner
<b>Belastbarkeit (RMS/max.)</b>	120 / 200 Watt
<b>Impedanz</b>	4 - 8 Ohm
<b>Frequenzbereich</b>	30 - 42.000 Hz
<b>Übergangsfrequenz</b>	400 / 3.500 Hz
<b>Empfohlene Verstärkerleistung</b>	30 - 200 Watt
<b>Wirkungsgrad</b>	90 dB
<b>Gehäuseausführung</b>	Arctic White, Schwarz Glanzlack, Espresso Furnier
<b>Maße (BxHxT)</b>	170 x 980 x 270 mm
<b>Principle</b>	2 ½ way floorstanding speaker, bass reflex
<b>Equipment</b>	1 x 5,25" woofer 1 x 5,25" midrange 1" dome-tweeter
<b>Power handling (RMS/max.)</b>	120 / 200 watts
<b>Impedance</b>	4 - 8 ohms
<b>Frequency response</b>	30 - 42,000 Hz
<b>Crossover frequencies</b>	400 / 3,500 Hz
<b>Recommended Amplifier Output</b>	30 - 200 watts
<b>Sensitivity</b>	90 dB
<b>Cabinet surface</b>	Arctic White, High-gloss painting black, Espresso Veneer
<b>Dimensions (WxHxD)</b>	170 x 980 x 270 mm

Schwarz: Art. Nr.: 134 7405 • EAN: 40 29678 47405 6  
Espresso: Art. Nr.: 134 7401 • EAN: 40 29678 47401 8  
Arctic White: Art. Nr.: 134 7402 • EAN: 40 29678 47402 5

# HECO

German HiFi since 1949

## Aleva 200

<b>Prinzip</b>	2 Wege Regalbox, Bassreflex
<b>Bestückung</b>	1 x 130 mm Tief-Mitteltöner 1 x 25 mm Hochtöner
<b>Belastbarkeit (RMS/max.)</b>	80 / 140 Watt
<b>Impedanz</b>	4 - 8 Ohm
<b>Frequenzbereich</b>	36 - 42.000 Hz
<b>Übergangsfrequenz</b>	3.500 Hz
<b>Empfohlene Verstärkerleistung</b>	20 - 130 Watt
<b>Wirkungsgrad</b>	89 dB
<b>Gehäuseausführung</b>	Arctic White, Schwarz Glanzlack, Espresso Furnier
<b>Maße (BxHxT)</b>	170 x 285 x 270 mm
<b>Principle</b>	2 way bookshelf speaker, bass reflex
<b>Equipment</b>	1 x 5,25" woofer-midrange 1" dome-tweeter
<b>Power handling (RMS/max.)</b>	80 / 140 watts
<b>Impedance</b>	4 - 8 ohms
<b>Frequency response</b>	36 - 42,000 Hz
<b>Crossover frequencies</b>	3,500 Hz
<b>Recommended Amplifier Output</b>	20 - 130 watts
<b>Sensitivity</b>	89 dB
<b>Cabinet surface</b>	Arctic White, High-gloss painting black, Espresso Veneer
<b>Dimensions (WxHxD)</b>	170 x 285 x 270 mm

Schwarz: Art. Nr.: 134 7205 • EAN: 40 29678 47205 2  
Arctic White: Art. Nr.: 134 7202 • EAN: 40 29678 47202 1  
Espresso: Art. Nr.: 134 7201 • EAN: 40 29678 47201 4

# HECO

German HiFi since 1949

## Aleva Center 2

<b>Prinzip</b>	2 Wege Center Lautsprecher, Bassreflex
<b>Bestückung</b>	2 x 130 mm Tief-Mitteltöner 1 x 25 mm Hochtöner
<b>Belastbarkeit (RMS/max.)</b>	100 / 160 Watt
<b>Impedanz</b>	4 - 8 Ohm
<b>Frequenzbereich</b>	35 - 42.000 Hz
<b>Übergangsfrequenz</b>	3.500 Hz
<b>Empfohlene Verstärkerleistung</b>	30 - 160 Watt
<b>Wirkungsgrad</b>	90 dB
<b>Gehäuseausführung</b>	Arctic White, Schwarz Glanzlack, Espresso Furnier
<b>Maße (BxHxT)</b>	460 x 170 x 255 mm
<b>Principle</b>	2 way center speaker, bass reflex
<b>Equipment</b>	1 x 5,25" woofer-midrange 1" dome-tweeter
<b>Power handling (RMS/max.)</b>	100 / 160 watts
<b>Impedance</b>	4 - 8 ohms
<b>Frequency response</b>	35 - 42,000 Hz
<b>Crossover frequencies</b>	3,500 Hz
<b>Recommended Amplifier Output</b>	30 - 160 watts
<b>Sensitivity</b>	90 dB
<b>Cabinet surface</b>	Arctic White, High-gloss painting black, Espresso Veneer
<b>Dimensions (WxHxD)</b>	460 x 170 x 255 mm

Schwarz: Art. Nr.: 134 7505 • EAN: 40 29678 47505 3  
Arctic White: Art. Nr.: 134 7502 • EAN: 40 29678 47502 2  
Espresso: Art. Nr.: 134 7501 • EAN: 40 29678 47501 5

# HECO

German HiFi since 1949

## Aleva Sub 25 A

### Prinzip

### Bestückung

### Leistung (RMS/max.)

### Frequenzbereich

### Übergangsfrequenz

### Gehäuseausführung

### Maße (BxHxT)

Aktiver Bassreflex Subwoofer

250 mm Woofer

150 / 300 Watt

25 - 150 Hz

50 - 150 Hz regelbar

Arctic White, Schwarz Glanzlack,

Espresso Furnier

300 x 470 x 400 mm

### Principle

### Equipment

### Power output (RMS/max.)

### Frequency response

### Crossover frequencies

### Cabinet surface

### Dimensions (WxHxD)

Powered bassreflex subwoofer

10" subwoofer

150 / 300 watts

25 - 150 Hz

50 - 150 Hz adjustable

Arctic White, High-gloss painting black,

Espresso Veneer

300 x 470 x 400 mm

Schwarz: Art. Nr.: 134 7605 • EAN: 40 29678 47605 0  
Arctic White: Art. Nr.: 134 7602 • EAN: 40 29678 47602 9  
Espresso: Art. Nr.: 134 7601 • EAN: 40 29678 47601 2